



TAIHING NYLON

FILAMENT PRODUCTS CO.,LTD

广东永锐实业有限公司 大兴尼龙丝制品有限公司

www.taihingnylon.com



37 年

拉丝经验
Experiences



4300+ 种

产品选项
Product Combinations



40+ 种

检测手法
Inspection Method



400 吨/月

产能突破
Production Capacity

◆ 公司简介 Company Profile



永恒不息 · 锐意进取
BE PROGRESSIVE , BE EXCELLENT

大興尼龙丝制品有限公司（大興）源于1985年，34年来专业提供PA66、PA612、PBT尖毛等各种高品质单丝产品，产品应用横跨12个行业，并与超过35个国家和地区的知名品牌合作，行业口碑享誉全球。大興始终围绕定制化需求并持续创新，加大基础产品研发的投入，推动单丝行业的进步。

Tai Hing Nylon Filament Products Co.,Ltd. (Tai Hing) originated in 1985, we have specialised in providing various high-quality monofilament products and applied in widely over 12 industries, cooperate with over 35 counties and well known international brands. Our good reputetion is confirmed by companions. Tai Hing keens on customised needs, continues to innovate and invest in product research.

◆ 公司简介 Company Profile



厂房外观 Environment



污水处理系统
Wastewater Treatment
System



精英销售团队
Professional Elite
Team

发展历程 Course of development



***1991年**，创立“利LASSON爽”自主品牌，标志着大興的自主品牌尼龙单丝产品正式面世。

In 1991, the company established the “LASSON” as a self-owned brand, which officially launches of Tai Hing’s own brand nylon monofilament products.

*** 1994年**，正式开始全面生产各类刷丝，产品逐步覆盖至多个刷类市场。

In 1994, Tai Hing was established, and it officially began to produce all kinds of filaments, and the products covered multiple brush markets.

***2015年**，成为美国制刷协会（ABMA）荣誉会员。

Became the member of the American Brush Association (ABMA) and further participated in international exchanges.

***2017年**，大興被评为“中国日用杂品工业协会刷类及清洁用具分会第一届理事会会长单位”。

In 2017, Tai Hing was awarded the title of “The First President of “The First Chairperson of the Brush and Cleaning Tools Branch of the China Sundry Articles Industry Association” ..

***1985年**，湛江兴华尼龙丝制品有限公司（大興前身）成立。大興尼龙丝制品有限公司于1989年在香港正式建立。

In 1985, our first company was established to product fishing rubber yarn, fishing nets and plastic film. Then 1989, Tai Hing Nylon Filament Products Co.,Ltd. was officially established in Hong Kong.

*** 2010年**，大興贸易模式已从单一来料加工发展至涵盖内销、出口、来料加工及深加工等多种模式相结合，出口产品种类广泛增多。公司厂房面积增至超过20,000平方米，拥有23条现代化单丝生产线，产能突破400吨，成为中国最具规模的刷毛单丝制造商之一。

In 2010, Tai Hing transformed into a comprehensive manufacturer with domestic sales, export, processing and other multiple service. The factory has increased to over 20,000 square meters and became one of the largest manufacturers of monofilaments in China.

*** 2011年**，发展注重研发及创新，成功把PP、PBT幼毛、PET幼毛、PS、PVC刷丝、开花尼龙等多项产品均扩充至业务范围内。

Focusing on development and innovation, and successfully expanded PP, PBT, PET, fine monofilament, PS and other products into the business scope.

匠心始终，岁月见证

***34年来**，大興从来不畏困难，不断创新技术工艺，销售范围远至海外多个国家和地区。

We conquered various difficulties and challenges in the past 34 years, never afraid of challenges and consider it as an opportunity to innovate technology and surmount our limitations. We able to provide various new products to cover a variety of brush markets and expand the global market.

◆ 销售网络 Sale Network



销售范围遍及**35**个国家和地区

Sales in 35 countries and regions

服务客户超过**1500**个

Serving over than 1,500 customers

出口量占比达**79%**

Exports accounted for 79%

- ★ 日本市场独家代理 — SOGO BRISTLE CO., LTD.
Japanese market – SOGO BRISTLE CO., LTD. (Exclusive representative)
- ★ 土耳其, 中东及海湾地区的总代理 — UTO MAKINE FIRCA SAN. VE TIC. LTD. STI.
Turkey, the Middle East and the Gulf region – UTO MAKINE FIRCA SAN. VE TIC. LTD. STI.

企业荣誉 Certificate



- 一直以来，大兴积极致力于提升管理及改善环保问题，通过ISO 9001国际质量管理体系认证，并获得美国FDA，EEC等相关环保标准认证，产品质量符合RoHS、PAHs和REACH等标准严格检测。

Tai Hing actively committed to improving management and environmental protection issues, passed ISO 9001 international quality management system certification, and obtained FDA, EEC and other relevant environmental standards certification, in line with RoHS / RAHs/REACH standard test.

- 大兴始终坚持开发创新，目前已成功申请多项相关专利。目前，大兴拥有导电尼龙刷丝、阻燃尼龙刷丝等新型产品，并获得广东省科技厅等四部门颁发的“高新技术企业”证书，产业技术升级迈上新台阶，专业能力获得行内广泛认可。

Tai Hing successfully applied for related patents, launched new products, conductive nylon brush and flame retardant nylon brush, as well as won the “High-tech Enterprise” certificate issued by four departments of Guangdong, Science and Technology Department, finance department, state administration of taxation and local taxation bureau.

- 2018年，大兴成功开发尼龙和聚酯型磁感应刷丝及PA1010环保型刷丝，在环保材料研发方面有了更新突破。

In 2018, we successfully develop nylon and polyester magnetic induction brush and PA1010 environmentally friendly brush, also made a breakthrough in the environmentally friendly materials.






TAIHING
NYLON
大興尼龍

SINCE 1985

生产工艺 Production Process





销售部接单
Sale Department

- 客户服务
- Client Service



研发与定制
Customization

- 设计产品
- 编写生产工艺流程指导书
- Product design and guide



布置生产任务
Arrangement

- 生产人员培训
- 筛选优质原材料
- Professional Training
- Quality and consistency of our raw materials



制程检测、成品检测
Quality Control

- 全自动生产线，全程监控
- 成品需经过30多道检测工序
- Automatic production line and monitoring
- Over 30 Product inspections



包装检测、运输
Packaging & Logistics

- 包装耐破强度、模拟运输测试，以及专业人员提供国际航运服务
- Packaging test and Transportation test, as well as Specialist in international export

产品信息 Product details



产品 Product	项目 Item	直径 Diameter	密度 Density	熔点 Melting Point	优点 Advantage	适用范围 Application
PA系列 (Nylon)	PA6	≥Φ0.08mm	1.12-1.16 g/m ³	215-225℃	耐磨、耐高温 Wear-resisting and good performance in temperature	工业刷、日用清洁刷 Industry brush, Daily household using brush
	PA66	Φ0.08mm	1.12-1.16 g/m ³	235-263℃	耐磨、耐高温 Wear-resisting and good performance in temperature	工业打磨刷 Surface conditioning industry brush
	PA610	≥Φ0.05mm	1.06-1.08 g/m ³	215-225℃	吸湿率低 Low moisture absorption rate	口腔护理用刷 Oral caring brush
	PA612	≥Φ0.05mm	1.06g/m ³	215-220℃	回弹力好、吸湿率低 Good elasticity, low moisture absorption rate	高档刷制品 High-class brush
	PA46	≥Φ0.15mm	1.18g/m ³	295℃	耐高温 Resistant to High-temperature	高端头梳 High-class hairbrush
PBT系列 (Polypropylene Terephthalate)	PBT	≥Φ0.05mm	1.3-1.4g/m ³	225℃	回弹力高 Good elasticity	日用清洁刷、油漆刷 Daily household using brush, Paint brush
	PBT尖毛 (tapered)	≥Φ0.08mm	1.3-1.4g/m ³	225℃	吸收与释放液体能力佳 Excellent performance in absorbing and releasing liquid	日用清洁刷、油漆刷 Daily household using brush, Paint brush

产品信息 Product details



产品 Product	项目 Item	直径 Diameter	密度 Density	熔点 Melting Point	优点 Advantage	适用范围 Application
PET系列 (Polypropylene Terephthalate)	PET	≥Φ0.12mm	1.40g/m ³	245±3℃	强韧性 Excellent toughness	日用清洁刷 Daily household using brush
	PET尖毛 (tapered)	Φ0.15-0.25mm	1.40g/m ³	245±3℃	吸收与释放液体能力佳 Excellent performance in absorbing and releasing liquid	日用清洁刷、油漆刷 Daily household using brush, Paint brush
	RPET	≥Φ0.15mm	1.40g/m ³	240-250℃	环保产品 Environmental	扫把 Cleaning broom
其他系列 Others	PE	≥Φ0.15mm	0.92-0.93/m ³	120±5℃	柔软 Soft	洗车刷 Car Washing brush
	PP	≥Φ0.15mm	1.18g/m ³	163℃	质量轻 The lightest varieties	马桶刷 The toilet brush
	PS	≥Φ0.20mm	1.04g/m ³	—	刚性好 High rigidity	洗车刷 Car Washing brush
	PPS	Φ0.15-1.2mm	1.35g/m ³	280℃	耐酸碱耐腐蚀 Resistant to acid, alkali and corrosion	工业用刷 Industry brush
	PEEK	Φ0.15-1.2mm	1.30g/m ³	340±5℃	超耐高温 Resistant to high-temperature	工业用刷 Industry brush



TAIHING
NYLON
大興尼龍
SINCE 1985

THANKS



www.taihingnylon.com
marketing@taihingnylon.com